

SPESEW

Industrial Special Sewing Machine

SPESEW

Industrial Special Sewing Machine

SIDE WALL SOLE STITCHING MACHINE



1. Product Parameter:

Sewing speed: Stepless speed regulating

Stitch: Double lock

Stitch length: 3-13mm

Sewing thickness: 6mm

Sewing needle: CP*5

Motor: 750W/ 220V one-phase 50-60hz

750W/ 110V one-phase 50-60hz

750W/ 380V three-phase 50-60hz

Exportation packing gross weight: 192 Kg

Exportation packing parameter: 114*66*144(L*W*H)cm

2. Characteristics:

a. Suitable for sports shoes, casual shoes side seam locking type sideline processing.

b. All parts were manufactured by HAAS CNC machines, high precision machining parts.

c. Using electronic speed motor speed can be flexible, stop the needle position by computer control.

SPESEW

Industrial Special Sewing Machine

Contact Details

E-mail: sales@spesew.com

WhatsApp(WeChat) : +86-18268819406

Telephone: +86-571-85241732

Website: www.spesew.com

Office Add: Room1216 XinCheng Square , Jiangnan district, HangZhou, Zhejiang, China .

Zip: 310021

SPESEW

Industrial Special Sewing Machine

MASTER INSOLE STITCHING MACHINE



1. Product Parameter:

Sewing speed: Stepless speed regulating

Stitch: Double lock

Stitch length: 3-18mm

Sewing thickness: 6-20mm

Sewing needle: Straight hook needle(180#240#)

Motor: 750W/ 220V one-phase /50-60Hz

Net weight: 414Kg

Exportation packing gross weight: 496Kg

Exportation packing parameter: 98*98*190(L*W*H)cm

2. Characteristics:

- Applicable to all kinds of shoes outsole and help the thoroughly, especially suitable for sewing processing rosin more strands of sewing thread.
- All parts were manufactured by HAAS CNC machines, high precision machining parts.
- Using electronic speed motor speed can be flexible, stop the needle position by computer control.

3 Other:

The machine is equipped with four type horns, Apply to leather shoes, colth shoes, boots, children's shoes bottom sole and upper penetrating sewing respectively
Especially suitable for rosin cobbler's twine sewing of military footwear

SPESEW

Industrial Special Sewing Machine

Contact Details

E-mail: sales@spesew.com

WhatsApp(WeChat) : +86-18268819406

Telephone: +86-571-85241732

Website: www.spesew.com

Office Add: Room1216 XinCheng Square , Jiangnan district, HangZhou, Zhejiang, China .

Zip: 310021

SPESEW

Industrial Special Sewing Machine

MASTER OUTSOLE STITCHING MACHINE



1. Product Parameter:

Sewing speed: Stepless speed regulating

Sewing thread: Compound thread or linen thread

Stitch length: 3.5-12mm

Sewing thickness: 3-18mm

Sewing needle: 200#230#260#curved hook needle

Motor: 750W/ 220V one-phase 50-60hz

750W/ 110V one-phase 50-60hz

750W/ 380V three-phase 50-60hz

Net weight: 344Kg

Exportation packing gross weight: 402Kg

Exportation packing parameter: 80*86*162(L*W*H)cm

2. Characteristics:

- Suitable for heavy soles and heavy work boots edges suture and right-angle perimeter shoes to penetrate seam processing.
- All parts were manufactured by HAAS CNC machines, high precision machining parts.
- Using electronic speed motor speed can be flexible, stop the needle position by computer control.
- Machines automatic oiling and durable.

SPESEW

Industrial Special Sewing Machine

Contact Details

E-mail: sales@spesew.com

WhatsApp(WeChat) : +86-18268819406

Telephone: +86-571-85241732

Website: www.spesew.com

Office Add: Room1216 XinCheng Square , Jiangnan district, HangZhou, Zhejiang, China .

Zip: 310021

SPESEW

Industrial Special Sewing Machine

UPPER MOCCASIN PATTERN STITCHING MACHINE



1. Product Parameter:
Sewing speed: 400RPM
Stitch length: 0-8mm
Needle spacing: 6mm
Sewing needle: DD*1
Motor: 750W/ 220V one-phase /50-60HZ
Net weight: 180Kg
Domestic packing gross weight: 200Kg
Domestic packing parameter: 130*73*135(L*W*H) cm
Exported packing gross weight: 240 Kg
Exported packing parameter: 131*78*144(L*W*H) cm

2. Characteristics:

- a. Suitable for footwear upper moccasin sewing. twelve sewing patterns can be set according to operators' requirements.
- b. All parts were manufactured by HAAS CNC machines, which are of high precision.
- c. Electronic speed motors can be used flexibly, stopping the needle position via computer control.

SPESEW

Industrial Special Sewing Machine

Contact Details

E-mail: sales@spesew.com

WhatsApp(WeChat) : +86-18268819406

Telephone: +86-571-85241732

Website: www.spesew.com

Office Add: Room1216 XinCheng Square , Jiangnan district, HangZhou, Zhejiang, China .

Zip: 310021



Contact Details

E-mail: sales@spesew.com

WhatsApp(WeChat) : +86-18268819406

Telephone: +86-571-85241732

Website: www.spesew.com

Office Add: Room1216 XinCheng Square , Jianggan district, HangZhou, Zhejiang, China .

Zip: 310021